



Migali[®]

COMPETITOR SERIES[®]

Refrigeration

specifications & line drawings

American Family Owned



SINCE 1955

TRUSTED SINCE 1955



Migali®

PROJECT: _____

LOCATION: _____

ITEM#: _____

QUANTITY: _____

COMPETITOR SERIES®



C-1R

C-2R

C-3R

REACH-IN REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Incandescent interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Top mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H** | PACKAGED DIMENSIONS W x D x H** | WEIGHT | PACKAGED WEIGHT |
|-------|-------|----------------------|---------|-----|------|----------|-----------------------------|------------|-------------------|--------------------------------|---------------------------------|---------------------------------|----------|-----------------|
| C-1R | 1 | 23 | 3 | 1/4 | 3.5 | 115/60/1 | 4 | Nema 5-15P | +33° F (-) +41° F | 28.7" x 33.2" x 83.8" | 24" x 26.5" x 60.2" | 30" x 34" x 85" | 264 lbs. | 284 lbs. |
| C-2R | 2 | 49 | 6 | 1/3 | 5.6 | 115/60/1 | 5.5 | Nema 5-15P | +33° F (-) +41° F | 51.7" x 33.2" x 83.8" | 47" x 26.5" x 60.2" | 53" x 35" x 85" | 405 lbs. | 420 lbs. |
| C-3R | 3 | 72 | 9 | 1/2 | 7.6 | 115/60/1 | 8.4 | Nema 5-15P | +33° F (-) +41° F | 77.8" x 33.2" x 83.8" | 74" x 26.5" x 60.2" | 79" x 35" x 85" | 557 lbs. | 579 lbs. |

* Total height includes casters

** A) height is from floor to ceiling. The evaporator + drain drops 9.5" from the ceiling, allowing 51.1" of usable height.

** B) A barrier bar for increased airflow is on rear side of the shelving which if used, reduces the depth to 25". This unit will accept 18" x 26" bun racks when shelving is turned upside or removed in lieu of sheet pan racks.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice




DIMENSIONAL DRAWINGS






C-1R



C-2R



C-3R



SIDE VIEW (1,2,3) DOOR MODELS



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

COMPETITOR SERIES®

PROJECT: _____
 LOCATION: _____
 ITEM#: _____
 QUANTITY: _____



REACH-IN FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller & read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Incandescent interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Top mount compressor for enhanced efficiency
- Pre-installed casters and shelving
- Auto-defrost

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H** | PACKAGED DIMENSIONS W x D x H** | WEIGHT | PACKAGED WEIGHT |
|-------|-------|-------------------------|---------|---------|------|------------------|--------------------------------|--------------|-----------------|-----------------------------------|------------------------------------|------------------------------------|----------|-----------------|
| C-1F | 1 | 23 | 3 | 1/2 | 6.7 | 115/60/1 | 5.93 | Nema 5-15P | -10° F (-) 0° F | 28.7" x 33.2" x 83.8" | 24" x 26.5" x 60.2" | 30" x 34" x 85" | 278 lbs. | 294 lbs. |
| C-2F | 2 | 49 | 6 | 3/4 | 10.3 | 115/60/1 | 9.99 | Nema 5-15P | -10° F (-) 0° F | 51.7" x 33.2" x 83.8" | 47" x 26.5" x 60.2" | 53" x 35" x 85" | 410 lbs. | 425 lbs. |
| C-3F | 3 | 72 | 9 | 1 & 1/4 | 9.6 | 208-230/115/60/1 | 10.7 | Nema L14-20P | -10° F (-) 0° F | 77.8" x 33.2" x 83.8" | 74" x 26.5" x 60.2" | 79" x 35" x 85" | 606 lbs. | 621 lbs. |

* Total height includes casters

** A) height is from floor to ceiling. The evaporator + drain drops 9.5" from the ceiling, allowing 51.1" of usable height.

** B) A barrier bar for increased airflow is on rear side of the shelving which if used, reduces the depth to 25". This unit will accept 18" x 26" bun racks when shelving is turned upside or removed in lieu of sheet pan racks.

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
 WEB: www.migali.com




Conforms to NSF 7 Foodservice




DIMENSIONAL DRAWINGS






C-1F



C-2F



C-3F



SIDE VIEW (1,2,3) DOOR MODELS



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____
 LOCATION: _____
 ITEM#: _____
 QUANTITY: _____

COMPETITOR SERIES®



C-12RM



C-23RM



C-49RM



C-72RM

HINGED GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H** | PACKAGED DIMENSIONS W x D x H** | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|---------|------|------|----------|-----------------------------|------------|----------------------|--------------------------------|---------------------------------|---------------------------------|----------|-----------------|
| C-12RM | 1 | 23 | 4 | 1/6 | 4 | 115/60/1 | 2.79 | Nema 5-15P | +33° F (-) +41° F | 24.25" x 24" x 76.25" | 19.75" x 20.25" x 48" | 26" x 25" x 77" | 225 lbs. | 250 lbs. |
| C-23RM | 1 | 23 | 4 | 3/8 | 6.1 | 115/60/1 | 2.79 | Nema 5-15P | +33° F (-) +41° F | 27" x 31.5" x 81" | 22.2" x 25.1" x 60" | 29" x 34" x 83" | 265 lbs. | 284 lbs. |
| C-49RM | 2 | 49 | 8 | 1/4+ | 7 | 115/60/1 | 4.2 | Nema 5-15P | +33° F (-) +41° F | 54.4" x 31.5" x 81" | 49.7" x 25.1" x 60" | 57" x 34" x 83" | 445 lbs. | 471 lbs. |
| C-72RM | 3 | 72 | 12 | 3/4 | 10.2 | 115/60/1 | 7 | Nema 5-15P | +33° F (-) +41° F | 82" x 31.5" x 81" | 77.1" x 25.1" x 60" | 84" x 34" x 83" | 642 lbs. | 657 lbs. |

* Total height includes 3" casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




DIMENSIONAL DRAWINGS


C-12RM




C-23RM




C-49RM




C-72RM




C-12RM TOP VIEW





C-23RM TOP VIEW



C-49RM TOP VIEW



C-72RM TOP VIEW



SIDE VIEW (1,2,3) DOORS MODELS



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____
LOCATION: _____
ITEM#: _____
QUANTITY: _____

COMPETITOR SERIES®



C-49RS

SLIDING GLASS DOOR REFRIGERATORS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass
- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- Hold open door feature for loading products
- Door locks
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H** | PACKAGED DIMENSIONS W x D x H** | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|---------|------|------|----------|-----------------------------|------------|----------------------|--------------------------------|---------------------------------|---------------------------------|----------|-----------------|
| C-49RS | 2 | 49 | 4 | 1/4+ | 6.1 | 115/60/1 | 4.5 | Nema 5-15P | +33° F (-) +41° F | 54.4" x 31.5" x 81" | 50.4" x 25.1" x 60" | 57" x 32" x 83" | 445 lbs. | 468 lbs. |

* Total height includes 3" casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com





Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS

C-49RS



SIDE VIEW



C-49RS TOP VIEW



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955


C-23FM

C-49FM

C-72FM

HINGED GLASS DOOR FREEZERS

- Beautiful ergonomic construction
- Digital temperature controller & read-out
- White powder coated steel exterior and interior
- Forced air refrigeration system
- Bottom mount compressor
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Triple pane heated glass

- Heavy duty ABS extruded door frame
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Door locks
- Migali® Protection Plan: 1 Year Parts & Labor Warranty,

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H** | PACKAGED DIMENSIONS W x D x H** | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|---------|---------|------|------------------|-----------------------------|--------------|-----------------|--------------------------------|---------------------------------|---------------------------------|----------|-----------------|
| C-23FM | 1 | 23 | 4 | 1/2 | 7.5 | 115/60/1 | 9.31 | Nema 5-15P | -10° F (-) 0° F | 27" x 31.5" x 81" | 22.2" x 25.1" x 60" | 29" x 34" x 83" | 285 lbs. | 316 lbs. |
| C-49FM | 2 | 49 | 8 | 3/4 | 12 | 115/60/1 | 16.44 | Nema 5-15P | -10° F (-) 0° F | 54.4" x 31.5" x 81" | 49.7" x 25.1" x 60" | 57" x 34" x 83" | 495 lbs. | 518 lbs. |
| C-72FM | 3 | 72 | 12 | 1 & 1/2 | 9.6 | 208-230/115/60/1 | 19.22 | Nema L14-20P | -10° F (-) 0° F | 82" x 31.5" x 81" | 77.1" x 25.1" x 60" | 84" x 34" x 83" | 719 lbs. | 755 lbs. |

* Total height includes 3" casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS


C-23FM




C-49FM




C-72FM





C-23FM TOP VIEW



C-49FM TOP VIEW



C-72FM TOP VIEW



SIDE VIEW (1,2,3) DOORS MODELS



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955

PROJECT: _____

LOCATION: _____

ITEM#: _____

QUANTITY: _____


C-PP44

C-PP67

C-PP93

PIZZA PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiency
- 19^{1/2}" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | Num. of (1/3) Size Pans* | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H** | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|--------|-------|--------------------------|----------------------|---------|-----|------|----------|-----------------------------|------------|-------------------|---------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-PP44 | 1 | 6 | 14 | 1 | 1/3 | 4.4 | 115/60/1 | 2.9 | Nema 5-15P | +33° F (-) +41° F | 44" x 33" x 42" | 40.4" x 26.4" x 26.3" | 47" x 35" x 46" | 309 lbs. | 352 lbs. |
| C-PP67 | 2 | 9 | 20 | 2 | 2/3 | 7.6 | 115/60/1 | 3.9 | Nema 5-15P | +33° F (-) +41° F | 67" x 33" x 42" | 63.5" x 26.4" x 26.3" | 68" x 35" x 46" | 355 lbs. | 385 lbs. |
| C-PP93 | 3 | 12 | 26 | 3 | 2/3 | 9 | 115/60/1 | 4.8 | Nema 5-15P | +33° F (-) +41° F | 93" x 33" x 42" | 89.4" x 26.4" x 26.3" | 95" x 35" x 46" | 478 lbs. | 503 lbs. |

* Pans are not included

** Height is measured floor to the back of the pan rail and include 6" casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice




DIMENSIONAL DRAWINGS


C-PP44




C-PP67




C-PP93





C-PP44 TOP VIEW



C-PP67 TOP VIEW



C-PP93 TOP VIEW



SIDE VIEW (1,2,3 DOOR)



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____
 LOCATION: _____
 ITEM#: _____
 QUANTITY: _____

COMPETITOR SERIES®



C-SP27-8



C-SP48-12



C-SP60-16



C-SP72-18

STANDARD TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9 1/4" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Migali Industries® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | Num. of (1/6) Size Pans* | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H** | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|-----------|-------|--------------------------|----------------------|---------|-----|------|----------|-----------------------------|------------|-------------------|---------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-SP27-8 | 1 | 8 | 6.5 | 1 | 1/4 | 3.3 | 115/60/1 | 2.6 | Nema 5-15P | +33° F (-) +41° F | 27.5" x 30" x 43.7" | 23.9" x 23.6" x 26.7" | 30" x 33" x 46" | 185 lbs. | 193 lbs. |
| C-SP48-12 | 2 | 12 | 12 | 2 | 1/3 | 5.1 | 115/60/1 | 3.6 | Nema 5-15P | +33° F (-) +41° F | 48.2" x 30" x 43.7" | 44.7" x 23.6" x 26.7" | 51" x 33" x 46" | 242 lbs. | 270 lbs. |
| C-SP60-16 | 2 | 16 | 18.2 | 2 | 1/2 | 5.1 | 115/60/1 | 3.6 | Nema 5-15P | +33° F (-) +41° F | 60.2" x 30" x 43.7" | 56.7" x 23.6" x 26.7" | 64" x 33" x 46" | 294 lbs. | 307 lbs. |
| C-SP72-18 | 3 | 18 | 24.5 | 3 | 1/2 | 5.7 | 115/60/1 | 4.1 | Nema 5-15P | +33° F (-) +41° F | 72.7" x 30" x 43.7" | 56.7" x 23.6" x 26.7" | 75" x 33" x 46" | 375 lbs. | 366 lbs. |

* Pans are not included

** Total height includes casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF® 7 Foodservice

DIMENSIONAL DRAWINGS


C-SP27-8




C-SP48-12




C-SP60-16




C-SP27-8 TOP VIEW




C-SP48-12 TOP VIEW




C-SP60-16 TOP VIEW




C-SP72-18



C-SP72-18 TOP VIEW



SIDE VIEW(1,2,3 DOOR)



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____

LOCATION: _____

ITEM#: _____

QUANTITY: _____

COMPETITOR SERIES®



C-SP27-12BT



C-SP48-18BT



C-SP60-24BT



C-SP72-30BT

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9 1/4" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | Num. of (1/6) Size Pans* | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H** | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|-------------|-------|--------------------------|----------------------|---------|-----|------|----------|-----------------------------|------------|-------------------|---------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-SP27-12BT | 1 | 12 | 6.5 | 1 | 1/4 | 3.3 | 115/60/1 | 2.6 | Nema 5-15P | +33° F (-) +41° F | 27.5" x 34" x 46.6" | 23.9" x 23.6" x 26.4" | 30" x 37" x 51" | 189 lbs. | 198 lbs. |
| C-SP48-18BT | 2 | 18 | 12 | 2 | 1/3 | 5.1 | 115/60/1 | 3.6 | Nema 5-15P | +33° F (-) +41° F | 48.2" x 34" x 46.6" | 44.7" x 23.6" x 26.4" | 51" x 37" x 51" | 253 lbs. | 280 lbs. |
| C-SP60-24BT | 2 | 24 | 18.2 | 2 | 1/2 | 5.1 | 115/60/1 | 3.6 | Nema 5-15P | +33° F (-) +41° F | 60.2" x 34" x 46.6" | 56.7" x 23.6" x 26.4" | 64" x 37" x 51" | 308 lbs. | 323 lbs. |
| C-SP72-30BT | 3 | 30 | 24.5 | 3 | 1/2 | 5.7 | 115/60/1 | 4.1 | Nema 5-15P | +33° F (-) +41° F | 72.7" x 34" x 46.6" | 56.7" x 23.6" x 26.4" | 75" x 37" x 51" | 362 lbs. | 374 lbs. |

* Pans are not included

** Total height includes casters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS


C-SP27-12BT




C-SP48-18BT




C-SP60-24BT




C-SP27-12BT TOP VIEW




C-SP48-18BT TOP VIEW




C-SP60-24BT TOP VIEW




C-SP72-30BT



C-SP72-30BT TOP VIEW



SIDE VIEW(1,2,3 DOOR)



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



UNDER-COUNTER/WORK TOP REFRIGERATORS

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|---------|-----|------|----------|-----------------------------|------------|----------------------|--------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-U27R | 1 | 6.5 | 1 | 1/4 | 2.5 | 115/60/1 | 0.9 | Nema 5-15P | +33° F (-) +41° F | 27.5" x 30" x 36.6" | 23.9" x 23.6" x 26.7" | 29" x 32" x 39" | 151 lbs. | 164 lbs. |
| C-U48R | 2 | 12 | 2 | 1/3 | 3.6 | 115/60/1 | 1.42 | Nema 5-15P | +33° F (-) +41° F | 48.2" x 30" x 36.6" | 44.7" x 23.6" x 26.7" | 50" x 32" x 39" | 212 lbs. | 236 lbs. |
| C-U60R | 2 | 18.2 | 2 | 1/2 | 3.6 | 115/60/1 | 1.51 | Nema 5-15P | +33° F (-) +41° F | 60.2" x 30" x 36.6" | 56.7" x 23.6" x 26.7" | 63" x 32" x 39" | 245 lbs. | 266 lbs. |
| C-U72R | 3 | 24.5 | 3 | 1/2 | 3.6 | 115/60/1 | 1.69 | Nema 5-15P | +33° F (-) +41° F | 72.7" x 30" x 36.6" | 56.7" x 23.6" x 26.7" | 74" x 32" x 39" | 283 lbs. | 301 lbs. |


* Total height includes casters

Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide / BS72 - 72" wide


NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

DIMENSIONAL DRAWINGS


C-U27R




C-U48R




C-U60R




C-U72R




C-U27R TOP VIEW




C-U48R TOP VIEW




C-U60R TOP VIEW



SIDE VIEW (1,2,3) DOORS MODELS



C-U72R TOP VIEW



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955


C-U27F

C-U48F

C-U60F

UNDER-COUNTER/WORK TOP FREEZERS

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops for in-the-field installment

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | SHELVES | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H* | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|---------|-----|------|----------|-----------------------------|------------|----------------|--------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-U27F | 1 | 6.5 | 1 | 1/4 | 4.4 | 115/60/1 | 3.4 | Nema 5-15P | 7° F (-) 3° F | 27.5" x 30" x 36.6" | 23.9" x 23.6" x 26.7" | 29" x 32" x 39" | 159 lbs. | 174 lbs. |
| C-U48F | 2 | 12 | 2 | 1/3 | 6.5 | 115/60/1 | 6.6 | Nema 5-15P | -7° F (-) 3° F | 48.2" x 30" x 36.6" | 44.7" x 23.6" x 26.7" | 50" x 32" x 39" | 233 lbs. | 242 lbs. |
| C-U60F | 2 | 18.2 | 2 | 1/2 | 6.5 | 115/60/1 | 6.6 | Nema 5-15P | -7° F (-) 3° F | 60.2" x 30" x 36.6" | 56.7" x 23.6" x 26.7" | 63" x 32" x 39" | 264 lbs. | 277 lbs. |


* Total height includes casters

Accessories: Stainless Steel Back Splash - BS27 - 27" wide / BS48 - 48" wide / BS60 - 60" wide / BS72 - 72" wide


NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

DIMENSIONAL DRAWINGS


C-U27F




C-U48F




C-U60F




C-U27F TOP VIEW




C-U48F TOP VIEW



C-U60F TOP VIEW



SIDE VIEW (1,2,3) DOORS MODELS



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____
 LOCATION: _____
 ITEM#: _____
 QUANTITY: _____

COMPETITOR SERIES®



C-CB48



C-CB52



C-CB52-60



C-CB72



C-CB72-76

REFRIGERATED CHEF BASES

- Beautiful ergonomic appearance
- Heavy duty top surface area
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiencies
- Recessed drawers handles
- Stainless Steel Compex® brand, heavy-duty, self closing drawer slides
- Pre-installed casters
- (2) 6" locking casters & (2) 6" non-locking casters
- Migali Industries® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DRAWERS | CUBIC CAPACITY Cu/Ft | TOP WEIGHT LIMIT | NUM. OF (1/6) SIZE PANS* | H/P | AMPS | VOLTAGE | ENERGY CONSUMPTION Kwh/24hr | PLUG TYPE | EXTERIOR DIMENSIONS W x D x H | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | TEMPERATURE RANGE | WEIGHT | PACKAGED WEIGHT |
|-----------|---------|-------------------------|---------------------|--------------------------------|-----|------|----------|-----------------------------------|---------------|-------------------------------------|-------------------------------------|-------------------------------------|----------------------|----------|--------------------|
| C-CB48 | 2 | 9.4 | 717 lbs. | 15 | 1/6 | 2.3 | 115/60/1 | 1.87 | Nema 5-15P | 48.4" x 32" x 26.6" | 36.2" x 25.6" x 16.7" | 51" x 33.9" x 27.6" | +33° F (-) +41° F | 430 lbs. | 472 lbs. |
| C-CB52 | 2 | 10.4 | 717 lbs. | 18 | 1/6 | 2.3 | 115/60/1 | 1.87 | Nema 5-15P | 52" x 32" x 26.6" | 40" x 25.6" x 16.7" | 51" x 33.9" x 27.6" | +33° F (-) +41° F | 441 lbs. | 485 lbs. |
| C-CB52-60 | 2 | 10.4 | 717 lbs. | 18 | 1/6 | 2.3 | 115/60/1 | 1.87 | Nema 5-15P | 60.5" x 32" x 26.6" | 40" x 25.6" x 16.7" | 63" x 33.9" x 27.6" | +33° F (-) +41° F | 478 lbs. | 556 lbs. |
| C-CB72 | 4 | 15 | 1084 lbs. | 24 | 1/4 | 3.1 | 115/60/1 | 2.59 | Nema 5-15P | 72.4" x 32" x 26.6" | 57.5" x 25.6" x 16.7" | 75" x 33.9" x 27.6" | +33° F (-) +41° F | 633 lbs. | 708 lbs. |
| C-CB72-76 | 4 | 15 | 1084 lbs. | 24 | 1/4 | 3.1 | 115/60/1 | 2.59 | Nema 5-15P | 76" x 32" x 26.6" | 57.5" x 25.6" x 16.7" | 78.6" x 33.9" x 27.6" | +33° F (-) +41° F | 655 lbs. | 730 lbs. |

* Pans are not included

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS


C-CB48




C-CB52




C-CB52-60




C-CB48 TOP VIEW




C-CB52 TOP VIEW




C-CB52-60 TOP VIEW




C-CB72





C-CB72-76



C-CB72 TOP VIEW



C-CB72-76 TOP VIEW



SIDE VIEW (1,2,3 DOORS)



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



Migali®

PROJECT: _____

LOCATION: _____

ITEM#: _____

QUANTITY: _____

COMPETITOR SERIES®



C-BB48G



C-BB60G



C-BB72G

GLASS DOOR BACK BAR REFRIGERATORS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital Controller with Temperature Read-out
- Forced air refrigeration system
- Side mount compressor
- Safety-grip door handles
- LED interior lighting
- Door locks
- (4) leveling feet included
- Accessory: optional casters upon request
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | STORAGE CAPACITY | SHELVES | H/P | AMPS | VOLTAGE | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|---------|-------|----------------------|--|---------|-----|------|----------|------------|----------------------|-------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-BB48G | 2 | 11.8 | 546 (12 oz.) cans 336 (12 oz.) bottles 2 (1/2 barrel) kegs | 4 | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 48.75" x 24.4" x 35.75" | 36" x 20.13" x 31" | 51" x 27" x 39" | 325 lbs. | 355 lbs. |
| C-BB60G | 2 | 15.8 | 756 (12 oz.) cans 456 (12 oz.) bottles 2 (1/2 barrel) kegs | 4 | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 60.8" x 24.4" x 35.75" | 48" x 20.13" x 31" | 63" x 27" x 39" | 394 lbs. | 421 lbs. |
| C-BB72G | 3 | 19.6 | 966 (12 oz.) cans 576 (12 oz.) bottles 3 (1/2 barrel) kegs | 6 | 1/3 | 7.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 72.8" x 24.4" x 35.75" | 60" x 20.13" x 31" | 75" x 27" x 39" | 423 lbs. | 456 lbs. |

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS


C-BB48G




C-BB60G



C-BB72G




C-BB48G TOP VIEW




TOP VIEW

C-BB60G TOP VIEW




TOP VIEW

C-BB72G TOP VIEW



TOP VIEW



SIDE VIEW (1,2,3 DOORS)



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955

COMPETITOR SERIES®



C-BB48



C-BB60



C-BB72

SOLID DOOR BACK BAR REFRIGERATORS

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital Controller with Temperature Read-out
- Forced air refrigeration system
- Side mount compressor
- Recessed door handles
- LED interior lighting
- Door locks
- (4) leveling feet included
- Accessory: optional casters upon request
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | STORAGE CAPACITY | SHELVES | H/P | AMPS | VOLTAGE | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|--------|-------|----------------------|--|---------|-----|------|----------|------------|----------------------|-------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-BB48 | 2 | 11.8 | 546 (12 oz.) cans 336 (12 oz.) bottles 2 (1/2 barrel) kegs | 4 | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 48.75" x 24.4" x 35.75" | 36" x 20.13" x 31" | 51" x 27" x 39" | 325 lbs. | 355 lbs. |
| C-BB60 | 2 | 15.8 | 756 (12 oz.) cans 456 (12 oz.) bottles 2 (1/2 barrel) kegs | 4 | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 60.8" x 24.4" x 35.75" | 48" x 20.13" x 31" | 63" x 27" x 39" | 394 lbs. | 421 lbs. |
| C-BB72 | 3 | 19.6 | 966 (12 oz.) cans 576 (12 oz.) bottles 3 (1/2 barrel) kegs | 6 | 1/3 | 7.4 | 115/60/1 | Nema 5-15P | +33° F (-) +38° F | 72.8" x 24.4" x 35.75" | 60" x 20.13" x 31" | 75" x 27" x 39" | 423 lbs. | 456 lbs. |

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE




TOLL FREE: 800.852.5292
WEB: www.migali.com




Conforms to NSF 7 Foodservice

DIMENSIONAL DRAWINGS


C-BB48




C-BB60




C-BB72





C-BB48 TOP VIEW



C-BB60 TOP VIEW



C-BB72 TOP VIEW



SIDE VIEW (1,2,3 DOORS)



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955

COMPETITOR SERIES®



C-DD23-1



C-DD48-2



C-DD60-2



C-DD72-3

DIRECT DRAW BEER DISPENSER REFRIGERATORS

- Beautiful ergonomic appearance
- Digital Controller with Temperature Read-out
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Forced air refrigeration system
- Air tubes to refrigerate beer towers
- Side mount compressor
- Recessed door handles
- (4) leveling feet included. Model C-DD23-1 included (4) casters
- Each single head beer tower includes (1) sanky and beer line
- Accessory: optional casters upon request
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | DOORS | CUBIC CAPACITY Cu/Ft | 1/2 BARREL KEG CAPACITY* | BEER TOWERS INCLUDED | H/P | AMPS | VOLTAGE | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H** | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|----------|-------|----------------------|--------------------------|----------------------|------|------|----------|------------|-------------------|---------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-DD23-1 | 1 | 7 | 1 | (1) single head | 1/6+ | 1.7 | 115/60/0 | Nema 5-15P | +33° F (-) +41° F | 23.5" x 30.5" x 38.63" | 19.63" x 19" x 31" | 27" x 34" x 42" | 143 lbs. | 187 lbs. |
| C-DD48-2 | 2 | 11.8 | 2 | (1) single head | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 48.75" x 24.4" x 35.75" | 36" x 20.13" x 31" | 51" x 27" x 39" | 325 lbs. | 355 lbs. |
| C-DD60-2 | 2 | 15.8 | 2 | (2) single head | 1/3 | 6.4 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 60.8" x 24.4" x 35.75" | 48" x 20.13" x 31" | 63" x 27" x 39" | 394 lbs. | 421 lbs. |
| C-DD72-3 | 3 | 19.6 | 3 | (2) single head | 1/3 | 7.4 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 72.8" x 24.4" x 35.75" | 60" x 20.13" x 31" | 75" x 27" x 39" | 423 lbs. | 456 lbs. |

* More combinations of keg types on spec sheet

** Height does not include draft tower


Accessories:

- Dual Head Beer Tower (includes beer line and sanky)
- Dual Head beer Tower CO2 gas tank and regulator are not included


NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

DIMENSIONAL DRAWINGS


C-DD23-1




C-DD48-2




C-DD60-2




C-DD23-1 TOP VIEW





C-DD48-2 TOP VIEW



C-DD60-2 TOP VIEW




C-DD72-3







SIDE VIEW (1,2,3 DOORS)

C-DD72-3 TOP VIEW




MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955

INSIDE CAPACITY FOR THE C-DD-23-1



KEG SIZE COLOR KEY





| | |
|---|-------------------|
|  | STANDARD HALF KEG |
|  | 1/4 SLIM KEG |
|  | 1/6 KEG |



Migali®

COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD-48-2



KEG SIZE COLOR KEY




STANDARD HALF KEG



1/4 SLIM KEG



1/6 KEG



TOLL FREE: 800.852.5292
WEB: www.migali.com









Conforms to NSF 7 Foodservice



Migali®

COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD-60-2




KEG SIZE COLOR KEY



STANDARD HALF KEG

1/4 SLIM KEG

1/6 KEG



TOLL FREE: 800.852.5292
WEB: www.migali.com









Conforms to NSF 7 Foodservice



Migali®

COMPETITOR SERIES®

INSIDE CAPACITY FOR THE C-DD-72-3



KEG SIZE COLOR KEY



STANDARD HALF KEG



1/4 SLIM KEG



1/6 KEG



TOLL FREE: 800.852.5292
WEB: www.migali.com



Conforms to NSF 7 Foodservice

PROJECT: _____
 LOCATION: _____
 ITEM#: _____
 QUANTITY: _____


C-HBC50

C-HBC65

C-HBC95

HORIZONTAL BOTTLE COOLERS


- Beautiful ergonomic appearance
- Digital Controller with Temperature Read-out
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Forced air refrigeration system
- Side mount compressor
- (4) leveling feet included
- Door locks for each lid
- Epoxy coated wire bin dividers included
- Bottle opener and cap catcher included
- Accessory: optional casters upon request
- Bottle opener and cap catcher included
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | SLIDING LIDS WITH LOCK | STORAGE CAPACITY | CUBIC CAPACITY Cu/Ft | BIN DIVIDERS | H/P | AMPS | VOLTAGE | PLUG TYPE | TEMP RANGE | EXTERIOR DIMENSIONS W x D x H** | INTERIOR DIMENSIONS W x D x H | PACKAGED DIMENSIONS W x D x H | WEIGHT | PACKAGED WEIGHT |
|---------|------------------------|--|----------------------|--------------|-----|------|----------|------------|----------------------|---------------------------------|-------------------------------|-------------------------------|----------|-----------------|
| C-HBC50 | 2 | 16.5 (12oz) Bottle Cases 24 (12 oz) Can Cases | 13 | 3 | 1/3 | 8 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 50" x 28.5" x 33" | 45" x 23" x 26" | 52" x 31" x 35" | 325 lbs. | 355 lbs. |
| C-HBC65 | 2 | 24 (12oz) Bottle Cases 32 (12 oz) Can Cases | 18 | 3 | 1/3 | 8 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 65" x 28.5" x 33" | 60" x 23" x 26" | 67" x 31" x 35" | 394 lbs. | 421 lbs. |
| C-HBC95 | 3 | 37 1/2 (12oz) Bottle Cases 55 (12 oz) Can Cases | 28 | 5 | 1/2 | 7.4 | 115/60/1 | Nema 5-15P | +33° F (-) +41° F | 95" x 28.5" x 33" | 90" x 23" x 26" | 97" x 31" x 35" | 423 lbs. | 456 lbs. |


NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

DIMENSIONAL DRAWINGS


C-HBC50



C-HBC65




C-HBC95




C-HBC50 TOP VIEW



C-HBC65 TOP VIEW



C-HBC95 TOP VIEW



SIDE VIEW (1,2,3 DOORS)



Migali®

MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



COMPETITOR SERIES®

WARRANTY PROTECTION PLAN

(1) Year Labor Warranty: Migali warrants to the original purchasers of the Migali unit sold a 1 Year Service Warranty, which begins at the date of registration or (90) days from the date of shipment by us, whichever is earlier. Migali reserves the right to service the unit only with an authorized Migali service agent. Unauthorized service of the unit is not subject to this warranty. The term "original purchaser" as used herein shall be deemed to mean that person, firm, association or corporation for whom the refrigeration unit referred to herein is originally installed at the original location; units moved or transferred to alternate location(s) that differ from the original registered or ship to location without pre-approval from Migali, will not be subject to this warranty. The Migali warranty is subject to indoor, commercial locations only; units that are installed at residential and/or outside locations are not included in this warranty. In addition, this warranty does not include units installed on food trucks, boats or any location using electricity originating from a generator.

(1) Year Parts: Migali warrants to the original purchaser the Migali unit sold and all parts thereof to be free from defects in material or workmanship, under normal use and service for a period of 1 year, from the date of registration, or (15) months from the date of shipment by us, whichever is earlier. Our obligation under this warranty shall be limited to repairing or replacing F.O.B. factory any of such product which proves thus defective and which our examination shall disclose to our satisfaction to be defective. Transportation Charges for Warranty Parts are to be prepaid by Claimant. Any part returned to Migali under the terms of this warranty must be accompanied by a record of the cabinet model number, serial number, return authorization number, and such return shall be on the basis of transportation charges prepaid.

(5) Years Compressor: Migali warrants the hermetically sealed compressor for (5) years, not to exceed (63) months from the date of shipment from our plant, provided, upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not apply to any electrical controls, accumulator, starting components or wiring harness, which items are covered by the parts warranty listed above. Transportation Charges for Warranty Compressor are to be prepaid by claimant. The compressor warranty is valid for (1) compressor per refrigeration unit. Migali reserves the right to void this warranty due to the following: (A) Improper operation due to low voltage conditions, inadequate wiring, and accidents or damages that are not manufacturing defects. These are strictly the responsibility of the purchaser. (B) Condenser coils must be cleaned at regular intervals or at least once per month. Failure to do so can cause compressor malfunction and/or clogged capillary tubes which will void the warranty. (C) These units must operate in normal ambient conditions, temperatures of 90° F and 55% relative humidity or less. Overheating due to excessively hot environments may void this warranty. (D) These units are for indoor use only. No claims can be made against this warranty for loss of product. This contract does not apply outside the limits of the USA or Canada, nor does it apply to any part which has been subject to misuse, neglect, alternation, accident, or to any damage caused by transportation, flood, fire or the acts of God.

These warranties are in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on our part, and we neither assume nor authorize any other person to assume for us any other obligation or liability in connection with the sale of said refrigeration units or any part thereof. This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

MIGALI ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF STORED PRODUCT, LOSS OF TIME, OR INCONVENIENCE. WARRANTIES ARE VALID FOR MIGALI BRAND EQUIPMENT ONLY. WARRANTIES ARE NOT VALID UNLESS THE PURCHASED ITEM AND CORRESPONDING INVOICE IS PAID IN FULL ACCORDING TO MIGALI TERMS AND CONDITIONS

All Warranty Service Calls must be Pre-approved by Migali® prior to contracting service agents or purchasing over-the-counter parts for reimbursement.



TOLL FREE: 800.852.5292

WEB: www.migali.com

THE FOLLOWING ITEMS **ARE COVERED** UNDER THE MIGALI PROTECTION PLAN

Compressor:

Hermetically Sealed Compressor

Parts:

Compressor starting components (Capacitor, Overload & Relay), Evaporator and Condenser Coils, Evaporator and Condenser Motors, Fan Blades, Drier Filter, Capillary Tubes, Expansion Valves, Thermostats, Control Boards, Relays, Temperature Displays, Timers, Freon Leaks, Refrigerants including 404a, 134a, R600 and R290 (limit to the full charge amount (oz) listed on the model serial tag), Electrical Wires, Relays, Terminal Blocks, Drain Lines, Drain Line Heater Wires, Condensate Heating Elements, Evaporator Defrost Rods or any defective parts relating to the refrigeration system.

Labor:

Service necessary for the malfunctioning of any parts or systems listed above under normal operating conditions to be reimbursed according to Migali Labor Guideline Form which includes service travel up to 75 miles.

Freight:

UPS freight charges will be prepaid by Migali if the defective compressors or parts are diagnosed as defective within (365) days of the warranty registration date. Migali pays UPS ground charges only. All other expedited freight charges are the responsibility of the owner/operator.

THE FOLLOWING ITEMS **ARE NOT COVERED** UNDER THE MIGALI PROTECTION PLAN

Compressor:

Compressor or compressor parts deemed defective through improper maintenance and cleaning, incorrect or low voltages, GFI related and electrical surge issues, failures due to running a unit off a generator, or improper installation of the refrigeration unit.

Parts:

Door gaskets, door or lid handles, glass doors, body of the refrigeration unit, casters, door or lid hinges, door opening breaker caps, breakage of any parts due to improper use such as standing on the refrigerator or mishandling damages, failed electronics and controllers due to electrical surges. Migali will not be held responsible for defective add-on accessories manufactured by a 3rd party not provided by Migali.

Labor:

Water, condensation or humidity inside or outside of the unit (unless service agent deems failure due to defective heating element, heater wire or broken evaporator pan), clogged evaporator drains, re-adjusting of leveling of unit, iced-up evaporator coil due to temperature controller set too low or improperly, adjusting temperature control settings, problems caused by improper installation, low voltage due to unit running off an extension cord or multiple appliances plugged into one outlet, electrical fuses tripping due to GFI's, malfunctioning unit due to improper amperage/voltage for the specific refrigeration model, cutting the factory installed plug, temperature issues due to dirty condenser, overstocking of interior, restrictions of airflow inside or outside of the refrigeration unit, excessive heat exceeding 90° F/ 55% relative humidity, direct heat from cooking equipment affecting the refrigeration units performance. For remote areas, a service tech that travels in excess of 75 miles one way may be subject to additional travel fees at Migali's discretion.

Stored Product & Loss of Revenue:

MIGALI® ASSUMES NO RESPONSIBILITY FOR INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES INCLUDING, BUT NOT LIMITED TO LOSS OR DAMAGE TO PROPERTY, LOSS OF PROFITS OR REVENUE, LOSS OF THE UNIT, LOSS OF STORED PRODUCT, LOSS OF TIME, OR INCONVENIENCE.

Freight:

UPS freight charges must be paid by the owner/operator if any parts or compressors are diagnosed as defective (365) days after the registration date.

FOR SERVICE CALL TOLL FREE: 1-800-852-5292

PLEASE HAVE THE MODEL & SERIAL NUMBER IN HAND WHEN CALLING

SERVICE FOR LABOR WARRANTY MAY TAKE UP TO 72 HOURS



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



COMPETITOR SERIES®



Conforms to NSF 7 Foodservice



MIGALI® REMAINS AN AMERICAN FAMILY COMPANY SINCE 1955



MIGALI INDUSTRIES, INC

516 Lansdowne Ave. Camden NJ 08104

Toll Free: 800 852 5292 Fax: 856 963 3604

Email: contact@migali.com Web: www.migali.com